



38 AWG (0.004" DIAMETER),  
SOLID COPPER CONDUCTOR,  
TWO CONDUCTOR, ISOMID OR  
POLYESTER INSULATED LEAD WIRE

REV	DESCRIPTION	DATE	APP
0	INITIAL RELEASE	10/21/2020	DD
REVISION HISTORY			

EI SENSOR TECHNOLOGIES <a href="http://www.ei-sensor.com">www.ei-sensor.com</a> © COPYRIGHT	<b>NTC THERMISTOR</b>	
	DRAWN BY: DAN DANKERT	
P/N ETP10411	SCALE: NONE	LAYER: 0 OF 2
	REV: 0	DATE: 10/21/2020

RESISTANCE @ +25°C = 10,000 Ω ± 1%  
 RESISTANCE/TEMPERATURE CURVE = "30"  
 BETA "β" (0°C TO +50°C) = 3,892°K NOMINAL  
 BETA "β" (+25°C TO +85°C) = 3,977°K NOMINAL  
 TEMPERATURE COEFFICIENT @ +25°C = -4.4%/°C NOMINAL  
 MAXIMUM TEMPERATURE RATING = +125°C

ROHS COMPLIANT

This PROPRIETARY document is the property of EI Sensor Technologies. It is confidential in nature, non-transferrable and issued with the understanding that it is not to be traced or copied without permission, and is returnable on demand.